

500 RANGE SCALES





MISTRAL SERIES





 MISTRAL SERIES scales belong to SOD RANGE, the new family of DIBAL scales, outstanding for design, technology and performance.



Capacities

Mono-range (3.000 divisions):

15 kg - 5 g 30 kg - 10 g

Multi-range (3.000 divisions):

6 kg-2g # 15 kg-5g 15 kg-5g # 30 kg-10 g


Mono-range (6.000 divisions):

12 kg - 2 g 30 kg - 5 g

Display

- Segments display or graphic display.
- Both of them can show weight, price, total and tare, active vendors and name of the product.
- Additionally, graphic display can show logos, profitability codes (in vendor side), publicity with templates system and special dynamic effects,... and allow to choose between 4 "screen designs".





1.ARTICLES 2.VENDORS		"Drill-Down" Menus
3. CONFIGURATION	3.1 CONF. WITH PC	
4.TEXTS	3.2 CONF. KEYBOARD	
5.COMMUNICATIONS	3.3 CONF. RECEIPT	3.3.1 EXCHANGE CALC
6.FORMATS	3.4 CONF.LABEL	3.3.2 CUSTOMER NUMBER
7.DATA	3.5 CONF PRINTING	3.3.3 RECEIPT CODE
8 REPORTS	3.6 CONF.EAN	3.3.4 RECEIPT TARE
9 SALES DELETION	3.7 CONF. OTHERS	3,3,5 DISCOUNT IN TOTAL

Amazing functionality

- Depending on model, MISTRAL SERIES scales are supplied with up to 5.000 PLUS, up to 70 preset keys and up to 10 vendors (see table on back cover).
- Complete information for each PLU:
- Regular price.
- Price by weight segments and per kg/100 g (M-520 and M-525).
- 2 names of 20 characters (1 name in M-510 and M-515).
- 10 free texts of 24 characters (5 texts in M-510 and M-515).
- 1 text of 1.024 characters (M-525).
- Profitability code.
- Sales and management reports: sales (by article, vendor, time slots, last month,...), margins, cash drawer report, last modified PLUs,...
- Fast and reliable communications among scales, PC and mobile devices including new DWS (Dibal Web Server).

Easy programming and operation

- MISTRAL SERIES scales have been designed thinking on the needs of users and service departments:
- -"Drill-Down" Menus.
- Menus can be printed in the scale.
- Special keys for direct access to programming menus: change a price, include a new PLU or vendor, sales reports,...
- Direct access to 999 PLUs from keyboard.
- -Search of PLUs by number (M-520 and M-525).
- Search of PLUs by name (M-520 and M-525): typing the initial characters of the name, the display shows the matching items.
- -2 programmable "Macros" (M-520 and M-525): recording of a sequence of keys, to create a "shortcut" to any task: change of batch number, access to programming parameters, receipt reopening, reports, etc. .
- Security: configurable password system.



Fiscal mode (dep. on countries)

 With this option activated, the scale will keep a full copy of all receipts printed, allows printing a list of them and keeps consecutive numbers of receipts throughout the fiscal period.

Stocks management in the scale

- Entry of initial stock.
- Register of sales, deducted from stock.
- Display and print reports of stock by PLU.
- Adjustment of stock after physical inventory.
- Information can be sent to PC.

Formats and Dimensions



Printing

- High resolution (2", 54 mm) and fast printer: up to 100 mm/second (80 mm/s in M-510/M-515 and 60 mm/s in "B" models with internal battery).
- · Receipts:
- Up to 40 lines.
- -2 fixed formats + 1 programmable (M-520/M-525). (only 2 fixed formats in M-510 and M-515 models)
- -4 logos per receipt (M-520 and M-525).
- Vendor's name (M-520 and M-525).
- -9 payment modes.
- Total in €, old national currency and 2 additional currencies.
- Discounts on line and total.
- Clients on account (M-520 and M-525).

Labels:

- 20 fixed formats + 10 programmable (M-525).
 (20 fixed + 5 programmable in M-515)
- From 30x30 up to 60x100 mm (M-525). (up to 60x80 mm in M-515)
- -40 logos.
- -40 fields of information.
- 100 programmable texts.
- Manual and automatic pre-packing modes.
- -3 levels of totals (M-525).
- Printing of a preset number of copies (M-525).
- Printing with 90°-180°-270° rotation (M-525).
- "Opto" automatic adjustment for paper detection.
- Global expiration date (M-525).
- Alphanumerical batch (M-525).





Cassette (scales with label printer)

- Inmediate change of the paper roll, featuring a cassette.
- Linerless (adhesive paper rolls without backpaper):
 - M-525 model can be supplied with "linerless" option, to print adhesive labels or receipts without backpaper.
 - The scale can print labels of variable length-with no waste of paper- or adhesive receipts (that can be used to close the customer bag).
 - Linerless system benefits our environment, as there is no backpaper waste.
- Scales with linerless option can also print conventional receipts or labels, simply changing the cassette and operation mode.

- MISTRAL SERIES scales can print in both receipts and labels EAN-13 and GS1 DataBar barcodes.
- Moreover, M-520 and M-525 models also allow the connection of a scanner, powered by the scale (5 VDC), to read these barcodes.



Generic traceability (labels)

- Including EU Bovine Meat Regulations.
- 2 types of generic traceability (for meat, fish, fruits, vegetables,...) and up to 20 products in M-525 (1 type and up to 10 products in M-515)





Easy maintenance

- · Local/remote, with/without assistance.
- Internal firmware updateable from PC.
- On line checking and modification of technical parameters, by means of optional DWS (Dibal Web Server).
- Access to all non metrological components of the scales without breaking metrological seals.

Power supply - Rech. Batteries

- Mains: 110 or 230 VDC.
- · "Anti black-out" battery, optional depending on models.
- "B" models, with long lasting internal rechargeable battery: up to 52 hours. (calculated for 1.500 receipts, 3 articles per receipt).*
- Optional external battery connector.
- * With segments display and backlight off. Load and range of rechargeable batteries can vary substancially depending on temperature, age and general state of batteries, printing frequency, networking, etc.

PC Software


Applications, running on Windows, to connect MISTRAL SERIES scales to PC:

RMS: Retail Management Software **DLD:** Dibal Label Designer

 RMS+DLD: programming the scales, design labels/receipts (DLD) and commercial management of data received from scales (lists, invoices, warehouses, customers, offers, etc).


DFS: Dibal Friendly Software **DLD:** Dibal Label Designer

- DFS+DLD: programming the scales, design labels/receipts (DLD) and reception of data with fully configurable lists. It stands out for its ease of use, speed of communication and simultaneous connection with all scales.
- Moreover, Dibal supplies integration tools running on Windows or Linux, to facilitate the integration with customer's "Back-Office".



Communications

- Interconnection and computer connection of scales based on ETHERNET TCP/IP. as standard, and Wi-Fi (802.11) or Homeplug, as an option.
- In Wi-Fi communications, Access Point is not needed, as the Wi-Fi internal module of scales can be configured as Access Point.
- Interconnection of up to 10 scales per section (5 in M-510 and M-515 models), on "master + slaves" or "master + submaster + slaves" configuration.



DWS: Dibal Web Server

- MISTRAL SERIES scales can incorporate DIBAL WEB SERVER (DWS) embedded. allowing access to each scale -through the IP address- from any computer or mobile device (smartphone, tablet,...) with web browser. Access is protected by several levels of passwords.
- Thanks to DWS, many parameters of the scale can be remotely checked and/or modified:
 - Technical Service: consult and modification of technical parameters.



Table of Models

OPT. = Optional

* Using Shift and Vendor keys

** Except for Hanging ABS format

		FORMAT			DISPLAY		PLUs				PRINTER			_ (OMI	BATTERY							
MODEL	FLAT (F)	POLE (P)	DOUBLE BODY (DB)	G ABS	HANG, ST. STEEL (HS)	SELF-SERVICE (AS)	SEGMENTS LCD	GRAPHIC LCD	TOTAL PLUs	DIRECT PLUS (maximum dep. on format)	MACROS	VENDORS	PAPER TYPE	SPEED maximum (mm/second)	LINERLESS	(ETHERNET) N° SCALES	ETHERNET TCP/IP	Wi-Fi IEEE 802.11	HOMEPLUG	SCANNER	CASH DRAWER	HIGH CAPACITY + EXTERNAL BATTERY CONN.	ANTI BLACK-OUT + EXTERNAL BATTERY CONN
M-510	•	•	•	•	•		•		2.000	45x2 + 4x2*	-	5	Receipt	80		5	•	OPT.	OPT.		•		OPT.**
M-510 B	•	•	•				•		2.000	45x2 + 4x2*	200	5	Receipt	60		5	•	OPT.			•	•	
M-515	•	•	•	•	•		•		2.000	45x2 + 4x2*	-	5	Label or Receipt	80		5	•	OPT.	OPT.		•		OPT.**
M-520	•	•	•		•		•	OPT.	5.000	40x2 + 9x2* (F, P) 70x2 + 9x2* (DB, HA, HS)	2	10	Receipt	100		10	•	OPT.	OPT.	•	•		OPT.**
M-520 B	•	•	•				•	OPT.	5.000	40x2 + 9x2* (F, P) 70x2 + 9x2* (DB)	2	10	Receipt	60		10	•	OPT.		•	•	•	
M-525	•	•	•	•	•	•	•	OPT.	5.000	40x2 + 9x2* (F) 100 (SS) 70x2 + 9x2* (P, DB, HA, HS)	2	10	Label or Receipt	100	OPT.	10	•	OPT.	OPT.	•	•		OPT.**

S.A.

DIBAL,